





ASSEMBLY MANUAL

XTRMB01 Xtreme PRO Gamer Standing workstation



NOTE:

Please assemble your product on soft surface to avoid scratches and damages on lacquer.




Thank you for making StudioDesk your desk of choice!

Before beginning assembly of your stand, let's get familiar with the parts you have received in your package. Please match the corresponding numbers on this page with the drawings.


Parts

1. Motorized Electric legs
2. Bottom desk surface
3. Middle desk surface
4. Top desk surface
5. Top shelf
6. Padded armrest



Hardware

Tools needed (Not included)

<p>⑥ M6 Screw 8 pcs</p> 	<p>⑦ Pillars 4 pcs</p> 	<p>⑧ Screws for wood 2 pcs 4 x 20</p> 
<p>⑨ Rack rail (optional) 2 pcs</p> 	<p>⑩ Wooden dowel 4 pcs</p> 	<p>⑪ USB HUB 1 pc</p> 
<p>⑫ Screws for wood 4 pcs 4 x 25</p> 	<p>⑬ Long screws M6 4 pcs</p> 	<p>⑭ Controller 1 pc</p> 

Rubber hammer



Phillips Screwdriver

Hexagon Wrench Included





1

Step One

Assemble the motorized legs as per included manual.


Place bottom desk surface to the floor and fix it using M6 screws as shown on the illustration right.



2

Step Two

Fix the controller (14) to the desk using screws for wood (8)




3

Step Three

Apply only if you purchased keyboard tray

Fix the keyboard tray side boards to the bottom desk surface using M6 screws as shown on the illustration on the right.





4

Step Four

Turn desk to the standing position to Continue with assembly.

5 Step Five

Insert wooden dowels (10) on the positions as illustrated on the illustration right.



6 Step Six

Optional step if you Purchase LED lighting.

Led stripe is self adhesive.

Remove dust from the edge of the middle desk surface. Remove small portion of the protection paper and start sticking LED stripe on the edge of the middle surface as shown on the illustration left.

Refer to our video manual for more information.

7 Step Seven

Optional step if you Purchase LED lighting.

Install middle desk surface on the corresponding wooden dowels.




8

Step Eight

If you purchase LED lighting go to step Nine and get back to this step after installing LED Stripe

Install armrest to the main desk surface using screws for wood. Once armrest is in the place, install main desk surface on the top of the middle desk surface as shown on the illustration on the right.




9

Step Nine

Optional step if you purchases LED lighting

Carefully remove the glass from the main desk surface and install shorter LED strip as shown in the illustration. Connecting cable should go out trough the hole towards down. Carefully put the glass back in the place.




10

Step Ten

Optional step if you purchase Rack rails

Install rack rails using to the top shelf using M6 screws as shown on the illustration on the right.

Rack rail has threaded and non threaded holes. Threaded holes should be turned towards front and rack rails fixed trough non threaded holes to the top shelf.





11 Step Eleven

Place the pillars on the positions so the long screws (13) can pass through all three desk surfaces, pillars (7) and end in the top shelf (5).

Fasten long screws using wrench tool.

Note! Washers should be used from the bottom.




12 Step Eleven

As the last step, install USB hub cable inlay to your desk and connect it to your computer.

XTCL200 Electric In Height Adjustable Desk Frame

ASSEMBLY MANUAL



Electric In Height Adjustable Desk Frame 2 lifting column 2 stages Item No. XTCL200

GBT 33242008 <<Furniture general technical conditions>>
GBT 33252008 <<Metal furniture general technical conditions>>
EN 125212009 <<Furniture Strength, durability and safety Requirements for domestic tables>>

Follow me

- 1.First check contents to make sure nothing is missing.
- 2.Sort out the parts and fittings as shown assemble the product step by step.
- 3.It is preferable to rest the product on a soft surface to avoid damage.
- 4.do not tighten the screws before fully assembled. Finish with care.
- 5.After the installation is complete, moving products need to force to the metal stents, please do not directly effect on the panel.
- 6.This product installation should be performed by adults only.


AFTER CARE

To clean metal frame using a soft cloth moistened in lukewarm soap and water .
Then buff with dry clean cloth.

Important Notice

1. Maximum load bearing 200 kg.
2. Height adjustable : 700 - 1200mm

A . Exploded view





B. Part List



1. Adjustable foot	4pc	8.Power line	1pc
2. Bottom	2pc	9. Extendable rod	2pc
3. Height adjustable	2pc	10. Upper beam	2pc
4. Top support	2pc	11. M6x12 screw	32pc
5. Control Switch	1pc	12. ST4x16 screw	15pc
6. 6Core patch cord	2pc	13. Ribbon	5pc
7. Control box	1pc	14. Allen key	1pc

C. Assembly



1. Install the frame work on lifting columns with Allen key (Pic 1 and Pic 2)



2. Install the top support with Allen key (Pic 3 and Pic 4)



3. Install the bottom with Allen key (Pic 5 and Pic 6)



4. Install the extendable rod to the hole of frame and fix it with Allen key (Pic 7 and Pic 8)

